

Attenuation Pluggerz (acrylate material)

FILTER	FREQ.	125 HZ	250 HZ	500 HZ	1000 HZ	2000 HZ	4000 HZ	8000 HZ	SNR	H	M	L
C00 CYAN	A	8.4	12.5	17.8	25.0	34.1	36.3	43.6	22	29	19	11
	S	3.1	2.9	2.5	1.9	3.8	4.4	5.7				
	APV	5.3	9.6	15.3	23.1	30.3	31.9	37.9				
C01 GREEN	A	11.1	14.9	19.1	25.1	34.2	29.6	43.4	23	28	20	14
	S	4.0	2.7	2.4	2.2	3.4	3.3	5.8				
	APV	7.1	12.2	16.7	22.9	30.8	26.3	37.6				
C02 YELLOW	A	15.4	16.7	20.4	26.9	33.6	30.6	43.9	24	28	21	16
	S	3.0	2.5	3.8	2.4	3.3	4.4	6.5				
	APV	12.4	14.2	16.6	24.5	30.3	26.2	37.4				
C03 ORANGE	A	16.7	19.1	21.6	26.7	34.3	31.6	43.5	26	29	23	18
	S	4.1	2.6	2.7	1.9	3.2	3.9	4.3				
	APV	12.6	16.5	18.9	24.8	31.1	27.7	39.2				
C04 RED	A	20.8	21.1	24.4	26.6	35.4	34.5	43.0	28	30	24	20
	S	3.2	3.5	3.4	2.5	2.5	4.3	6.9				
	APV	17.6	17.6	21.0	24.1	32.9	30.2	36.1				
C05 PURPLE	A	22.9	22.8	26.7	28.3	34.6	35.0	43.2	29	31	25	22
	S	3.0	3.7	4.1	3.4	3.4	4.0	3.9				
	APV	19.9	19.1	22.6	24.9	31.2	31.0	39.3				
C06 BLUE	A	26.6	24.7	28.6	30.6	25.8	38.2	45.0	32	33	28	25
	S	3.6	2.1	2.4	2.6	3.1	3.4	4.3				
	APV	23.0	22.6	26.2	28.0	32.7	34.8	40.7				
C07 BLACK	A	28.6	27.3	29.8	31.4	36.9	40.7	44.9	33	34	29	26
	S	4.0	3.3	3.1	2.6	3.9	2.7	4.6				
	APV	24.6	24.0	26.7	28.8	33.0	38.0	40.3				
DM10 OCEAN	A	11.0	9.1	7.2	9.5	14.3	18.0	17.0	10	7	6	11
	S	3.4	3.3	2.6	4.2	5.3	3.5	4.8				
	APV	8.3	5.8	4.6	5.3	9.0	14.5	12.2				
DM15 BLUE	A	14.8	14.2	14.6	18.4	24.3	20.2	23.9	18	19	15	13
	S	3.8	3.0	2.4	3.2	3.5	2.5	3.9				
	APV	11.0	11.2	12.2	15.2	20.8	17.7	20.0				
DM20 WHITE	A	26.9	23.3	24.3	26.1	24.9	18.6	18.5	19	17	20	20
	S	6.8	5.3	3.9	3.0	3.3	3.6	3.0				
	APV	20.1	18.0	20.4	23.1	21.6	15.0	15.5				
DM25 BLACK	A	28.7	28.5	29.4	30.2	30.7	20.9	34.4	24	22	24	24
	S	5.0	5.8	5.4	4.2	4.5	3.0	3.0				
	APV	23.7	22.7	24.0	26.0	26.2	17.9	31.4				

Attenuation pluggerz (silicone material)

FILTER	FREQ.	125 HZ	250 HZ	500 HZ	1000 HZ	2000 HZ	4000 HZ	8000 HZ	SNR	H	M	L
C00 CYAN	A	9.3	13.8	17.5	22.6	31.3	31.8	31.6	21	26	18	12
	S	3.6	3.6	3.5	2.6	3.9	3.1	4.6				
	APV	5.7	10.2	14.0	20.0	27.4	28.7	27.0				
C01 GREEN	A	9.1	14.1	19.2	23.8	29.2	30.9	29.1	22	26	19	13
	S	3.0	1.8	2.6	2.9	3.5	2.6	3.6				
	APV	6.1	12.3	16.6	20.9	25.7	28.3	25.5				
C02 YELLOW	A	12.6	14.3	20.5	23.0	30.5	31.0	31.1	22	26	19	14
	S	2.9	2.9	3.4	3.4	3.8	3.8	3.6				
	APV	9.7	11.4	17.1	19.6	26.7	27.2	27.5				
C03 ORANGE	A	14.5	17.9	21.4	23.0	30.2	31.5	32.9	23	26	20	16
	S	4.5	3.6	3.8	3.8	3.7	2.4	4.0				
	APV	10.0	14.3	17.6	19.2	26.5	29.1	28.9				
C04 RED	A	18.7	20.4	23.4	23.3	30.9	32.1	32.8	24	26	21	18
	S	3.8	4.4	3.4	3.8	3.4	2.4	5.1				
	APV	14.9	16.0	20.0	19.5	27.5	29.7	27.7				
C05 PURPLE	A	19.8	20.2	22.7	23.9	30.7	33.2	33.5	25	27	22	19
	S	3.7	3.0	3.2	2.4	3.5	2.7	5.3				
	APV	16.1	17.2	19.5	21.5	27.2	30.5	28.2				
C06 BLUE	A	24.1	22.9	24.0	24.9	31.8	32.5	33.5	27	28	23	21
	S	2.5	3.8	3.1	2.4	3.7	2.2	3.6				
	APV	21.6	19.1	20.9	22.5	28.1	30.3	29.9				
C07 BLACK	A	23.2	22.6	23.6	24.3	33.1	32.4	33.5	26	28	23	20
	S	4.2	4.5	2.9	2.6	4.1	3.3	4.7				
	APV	19.0	18.1	20.7	21.7	29.0	29.1	28.8				

Attenuation Pluggerz Uni-Fit

TYPE	FREQ.	63 HZ	125 HZ	250 HZ	500 HZ	1000 HZ	2000 HZ	4000 HZ	8000 HZ	SNR	H	M	L
PRO & HOBBY	A	24.1	8.4	12.5	17.8	25.0	34.1	36.3	43.6	22	29	19	11
	S	5.3	3.1	2.9	2.5	1.9	3.8	4.4	5.7				
	APV	18.8	5.3	9.6	15.3	23.1	30.3	31.9	37.9				
ROAD	A	17.8	11.1	14.9	19.1	25.1	34.2	29.6	43.4	23	28	20	14
	S	6.3	4.0	2.7	2.4	2.2	3.4	3.3	5.8				
	APV	11.5	7.1	12.2	16.7	22.9	30.8	26.3	37.6				
TRAVEL	A	25.6	15.4	16.7	20.4	26.9	33.6	30.6	43.9	24	28	21	16
	S	4.8	3.0	2.5	3.8	2.4	3.3	4.4	6.5				
	APV	20.8	12.4	14.2	16.6	24.5	30.3	26.2	37.4				
SLEEP	A	25.1	16.7	19.1	21.6	26.7	34.3	31.6	43.5	26	29	23	18
	S	4.5	4.1	2.6	2.7	1.9	3.2	3.9	4.3				
	APV	20.6	12.6	16.5	18.9	24.8	31.1	27.7	39.2				
SWIM	A	17.3	20.8	21.1	24.4	26.6	35.4	34.5	43.0	28	30	24	20
	S	3.1	3.2	3.5	3.4	2.5	2.5	4.3	6.9				
	APV	14.2	17.6	17.6	21.0	24.1	32.9	30.2	36.1				
MUSIC	A	17.7	22.9	22.8	26.7	28.3	34.6	35.0	43.2	29	31	25	22
	S	5.5	3.0	3.7	4.1	3.4	3.4	4.0	3.9				
	APV	12.2	19.9	19.1	22.6	24.9	31.2	31.0	39.3				
MUSIC PREMIUM	A	19.6	26.6	24.7	28.6	30.6	25.8	38.2	45.0	32	33	28	25
	S	3.3	3.6	2.1	2.4	2.6	3.1	3.4	4.3				
	APV	16.3	23.0	22.6	26.2	28.0	32.7	34.8	40.7				
SHOOT & READ	A	25.0	28.6	27.3	29.8	31.4	36.9	40.7	44.9	33	34	29	26
	S	6.6	4.0	3.3	3.1	2.6	3.9	2.7	4.6				
	APV	18.4	24.6	24.0	26.7	28.8	33.0	38.0	40.3				

Attenuation Pluggerz Earmuffs

TYPE	FREQ.	125 HZ	250 HZ	500 HZ	1000 HZ	2000 HZ	4000 HZ	8000 HZ	SNR	H	M	L
KIDS	A	9.8	15.9	25.0	33.0	31.0	35.4	33.2	25.8	29.8	23.4	14.4
	S	3.0	1.9	2.3	3.2	3.4	2.4	4.0				
	APV	6.7	13.9	22.8	29.8	27.6	33.0	29.1				